


OBSOLETE


|        |              |               |  |                         |
|--------|--------------|---------------|--|-------------------------|
| SIZE   |              | ISSUE 3-11-37 | J.W.   | TITLE:                  |
| KIND   | IRON CASTING | CHANGED       |  | MODEL "C" SHORT WAVE    |
| SHAPE  |              | "             |  | H.T. TRANSF. SUPP.-REAR |
| FINISH | BLACK #80    | "             |  |                         |
| TEMP.  |              | "             |  |                         |
| PATT.  | 4291-917     | "             |  |                         |
|        |              |               | H. G. FISCHER & CO.<br>2335 WABANSIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO.             |
|        |              |               |  | PART<br>NO.             |
|        |              |               |  | 9688                    |




1 REQUIRED

~~Obsolete~~  
**OBSOLETE**

|   |            |         |             |             |  |
|---|------------|---------|-------------|-------------|--|
| SIZE  | 1/4" SHEET | ISSUE   | 9-15-38     | J.W.        | TITLE:                                 |
| KIND  | BAKELITE   | CHANGED |             |             | FISCHER MOD. "M" SHORT WAVE            |
| SHAPE   |            | "       |             |             | POWER TRANSFORMER TERMINAL STRIP-LOWER |
| FINISH  |            | "       |             |             |  |
| TEMP.   |            | "       |             |             |  |
| PATT.   |            | "       |             |             |  |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |            |         | CAT.<br>NO. | PART<br>NO. | 12065                                  |




| SIZE   | ISSUE 7-6-39 | J.W. | TITLE:  |
|--------|--------------|------|---|
| KIND   | CHANGED      |      | FISCHER MOD "M" SHORT WAVE OUTFIT                         |
| SHAPE  | "            |      | CABINET CASTER SUPPORT                                    |
| FINISH | "            |      |   |
| TEMP.  | "            |      |   |
| PATT.  | 1385         | "    | OBsoLETE  |
|        |              |      | H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |
|        |              |      | CAT. NO.  |
|        |              |      | PART NO. 12102F   |



1 REQUIRED

OBSOLETE

|                     |                          |               |          |  |
|---------------------|--------------------------|---------------|----------|--|
| SIZE                | $1 \frac{1}{2}$ " SQUARE | ISSUE 10-3-38 | J.W.     | TITLE:<br>FISCHER MOD. "R" SHORT WAVE CABINET<br>ELECTRODE ARM COUNTERBALANCE WEIGHT |
| KIND                | C.R. STEEL               | CHANGED       |          |  |
| SHAPE               | BAR                      | "             |          |  |
| FINISH              |                          | "             |          |  |
| TEMP.               |                          | "             |          |  |
| PATT.               |                          | "             |          |  |
| H. G. FISCHER & CO. | 2335 WABANIA AVE.        | CAT. NO.      | PART NO. | 12157  |




1 REQUIRED

**OBSOLETE** *Obsolete*


|        |             |         |  |
|--------|-------------|---------|--|
| SIZE   | 3/32" SHEET | ISSUE   |  |
| KIND   | C.R. STEEL  | CHANGED |  |
| SHAPE  |             | "       |  |
| FINISH | CAD. #23    | "       |  |
| TEMP.  |             | "       |  |

**TITLE:** UNIVERSAL SECTIONAL GUIDE STOP RAIL 3 FT. LENGTH  
**H. G. FISCHER & CO.** 2335 WABANIA AVE. **CAT. NO.** **PART NO.** 12173



#  
6 HLS-12 DRILL-C'SUNK.  
FOR #8 F.H.D. WOOD SCREW

BREAK CORNERS




*Obsolete*  
**OBSOLETE**

MASTER HOLE PUNCHING UNIT 972 X


|   |             |                  |         |  |
|---|-------------|------------------|---------|--|
| SIZE  | 3/32" SHEET | ISSUE 10-5-38    | J.W.    | TITLE:<br>UNIVERSAL SECTIONAL GUIDE RAIL<br>3 FT. LENGTH |
| KIND  | C.R. STEEL  | CHANGED 12-15-39 | J.W.    |  |
| SHAPE   |             | "                |         |  |
| FINISH  | CAD. #23    | "                |         |  |
| TEMP.   |             | "                |         |  |
| PATT.   |             | "                |         |  |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO. | PART<br>NO.      | 12180FA |  |

BOTH ENDS MILLED  
SQUARE WITH SIDES

4 HLS. - #12 DRILL C'SUNK.  
FOR. #8 F.H.D. WOOD SCREW



ROUND EDGES



~~Obsolete~~ OBSOLETE

MASTER HOLE PUNCHING UNIT 972X


|        |             |                  |      |
|--------|-------------|------------------|------|
| SIZE   | 3/32" SHEET | ISSUE 11-9-38    | J.W. |
| KIND   | C.R. STEEL  | CHANGED 12-15-39 | J.W. |
| SHAPE  | "           | "                |      |
| FINISH | CAD. #23    | "                |      |
| TEMP.  | "           | "                |      |

**TITLE:**  
UNIVERSAL SECTIONAL GUIDE RAIL  
2 FT. LENGTH

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT.  
NO.

PART  
NO. 12183FA




1 REQUIRED

OBSOLETE

|   |               |                 |        |   |
|---|---------------|-----------------|--------|---|
| SIZE  | # 214         | ISSUE 11-10-38  | J.W.   | TITLE: FISCHER MOD. "GM"<br>MOBILE UNIT TRANSFORMER<br>GUIDE RODS TIE |
| KIND  | ALUM. CASTING | CHANGED 9-15-39 | J.W.   |   |
| SHAPE   |               | "               |        |   |
| FINISH  |               | "               |        |   |
| TEMP.   |               | "               |        |   |
| PATT.   | 1281          | "               |        |   |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO.   | PART<br>NO.     | 12218F |   |


BEND SCALES IN FIXTURE #6894  
BEFORE PUNCHING SLOTS.



1 REQUIRED


OBSOLETE

|   |            |                |                    |
|---|------------|----------------|--------------------|
| SIZE  | FROM 12229 | ISSUE 12-13-38 | J.W.               |
| KIND  |            | CHANGED        |                    |
| SHAPE   |            | "              |                    |
| FINISH  |            | "              |                    |
| TEMP.   |            | "              |                    |
| PATT.   |            | "              |                    |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |            | CAT.<br>NO.    | PART<br>NO. 12229F |



# OBSOLETE

|        |         |               |      |   |
|--------|---------|---------------|------|---|
| SIZE   |         | ISSUE 1-30-39 | J.W. | <b>TITLE:</b><br><br>FISCHER MOD. "GM" MOBILE UNIT<br>CABINET DOOR - LEAD - BOARD |
| KIND   | PLYWOOD | CHANGED       |      |   |
| SHAPE  |         | "             |      |   |
| FINISH |         | "             |      |   |
| TEMP.  |         | "             |      |   |
| PATT.  |         | "             |      |   |



SCALE  $\div \frac{1}{2} = 1"$

DEVELOPED LENGTH =

1 REQUIRED

|        |             |                |      |
|--------|-------------|----------------|------|
| SIZE   | .040" SHEET | ISSUE 12-12-38 | J.W. |
| KIND   | LEAD        | CHANGED        |      |
| SHAPE  |             | "              |      |
| FINISH |             | "              |      |
| TEMP.  |             | "              |      |
| PATT.  |             | "              |      |

**TITLE:**  
FISCHER MOD. "GM" MOBILE UNIT  
CABINET DOOR - LEAD PAN


H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT.  
NO.

PART  
NO.

12234F

OBSOLETE



**OBSOLETE**


|        |               |               |     |
|--------|---------------|---------------|-----|
| SIZE   | #12           | ISSUE 12-1-38 | RE. |
| KIND   | ALUM. CASTING | CHANGED       |     |
| SHAPE  |               | "             |     |
| FINISH |               | "             |     |
| TEMP.  |               | "             |     |

**TITLE:** FISCHER MOD. "GM"  
MOBILE UNIT- STEREOSCOPIC SHIFT  
SCALE SUPPORT

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT.  
NO.

PART  
NO. 12238 F




1 REQUIRED

*Obsolete*  
**OBSOLETE**

|        |            |                |      |
|--------|------------|----------------|------|
| SIZE   | 1" DIAM.   | ISSUE 11-28-38 | J.W. |
| KIND   | C.R. STEEL | CHANGED        |      |
| SHAPE  | ROD        | "              |      |
| FINISH | CAD. #23   | "              |      |
| TEMP.  |            | "              |      |
| DATE   |            | "              |      |

**TITLE:** FISCHER MOD. "GM"  
MOBILE UNIT TRANSF. GUIDE RODS  
SWIVEL SUPPORT STUD

H. G. FISCHER & CO. 2335 WABANIA AVE. CHICAGO, ILL. CAT. NO. PART NO. 12255



1 REQUIRED

**OBSOLETE**


|        |               |         |         |      |
|--------|---------------|---------|---------|------|
| SIZE   | 1 1/16" DIAM. | ISSUE   | 8-24-39 | J.W. |
| KIND   | C.R. STEEL    | CHANGED |         |      |
| SHAPE  | ROD           | "       |         |      |
| FINISH | CAD. #23      | "       |         |      |
| TEMP.  |               | "       |         |      |
| DATE   |               | "       |         |      |

**TITLE:**  
 FISCHER MOD. "GM" MOBILE SHOCKPROOF  
 X-RAY UNIT - TRANSF. GUIDE RODS SWIVEL  
 SUPPORT STUD

H. G. FISCHER & CO.  
 2335 WABANIA AVE.  
 CHICAGO, ILL.

CAT.  
NO.

PART  
NO. 12255A



2 REQUIRED

OBSOLETE

|        |                       |         |         |      |
|--------|-----------------------|---------|---------|------|
| SIZE   | 7/8" O.D. X 1/2" I.D. | ISSUE   | 12-2-38 | J.W. |
| KIND   | SHELBY STEEL          | CHANGED |         |      |
| SHAPE  | TUBING                | "       |         |      |
| FINISH | CHROME #2             | "       |         |      |
| TEMP.  |                       | "       |         |      |


**TITLE:** FISCHER MOD. "GM"  
MOBILE UNIT - TRANSFORMER  
GUIDE ROD

H. G. FISCHER & CO. 2335 WABANSIA AVE.  
CHICAGO, ILL.

CAT.  
NO.

PART  
NO.

12256





| SIZE           | ISSUE 11-7-38               | J.W.  | TITLE: FISCHER MOD. "GM"<br>MOBILE UNIT-BASE-GROOVED ROLLER<br>-LARGE |
|----------------|-----------------------------|---|---|
| KIND           | CHANGED                     |   |   |
| SHAPE          | "                           | "   |   |
| FINISH         | CAD. PLATE #23<br># PAINTED | "   |   |
| TEMP.          | "                           | "   |   |
| PATT.          | 1296                        | "   |   |
| <b>OBSCOLE</b> |                             | H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT. NO. PART NO. 12261F  |

4HLS.-#10X32 TAP - MUST BE  
IN LINE WITH HOLES AT OTHER END

1/2" DRILL

4HLS.-#10X32 TAP



5" O.D. X #11 GAUGE SHELBY SEAMLESS STEEL TUBING

I REQUIRED


|        |   |                 |      |   |
|--------|---|-----------------|------|---|
| SIZE   |   | ISSUE 11-18-38  | J.W. | TITLE: FISCHER MOD. "GM"<br>MOBILE UNIT-OUTER UPRIGHT TUBE<br>-LONG |
| KIND   |   | CHANGED 10-5-39 | J.W. |   |
| SHAPE  | " |                 |      |   |
| FINISH | " |                 |      |   |
| TEMP.  | " |                 |      |   |
| PATT.  | " |                 |      |   |

**OBSOLETE**

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.


CAT.  
NO.

PART  
NO. 12267F



|   |                        |               |                   |
|---|------------------------|---------------|-------------------|
| SIZE  | $\frac{3}{16}$ " SHEET | ISSUE 1-25-39 | J.W.              |
| KIND  | TRANSITE               | CHANGED       |                   |
| SHAPE   |                        | "             |                   |
| FINISH  |                        | "             |                   |
| TEMP.   |                        | "             |                   |
| PATT.   |                        | "             |                   |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |                        | CAT.<br>NO.   | PART<br>NO. 12451 |

**TITLE:**  
FISCHER MOD. PORT. "5" S.W.  
TRANSFORMER HEAT BARRIER




SCALE  $\frac{1}{2} = 1"$

1 REQUIRED

OBSOLETE

|   |             |                 |         |   |
|---|-------------|-----------------|---------|---|
| SIZE  | 3/16" SHEET | ISSUE 3-9-39    | J.W.    | TITLE:<br>FISCHER MOD. PORT. "S" SHORT WAVE<br>TRANSFORMER HEAT BARRIER |
| KIND  | TRANSITE    | CHANGED 11-6-40 | J.W.    |   |
| SHAPE   |             | " 12-31-40      | J.W.    |   |
| FINISH  |             | "               |         |   |
| TEMP.   |             | "               |         |   |
| PATT.   |             | "               |         |   |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO. | PART<br>NO.     | 12451FB |   |



7  $\frac{5}{4}$  TURNS

1 REQUIRED

OBSOLETE

|        |             |               |      |
|--------|-------------|---------------|------|
| SIZE   | #10 TINNED  | ISSUE 1-26-39 | J.W. |
| KIND   | COPPER WIRE | CHANGED       |      |
| SHAPE  |             | "             |      |
| FINISH |             | "             |      |
| TEMP.  |             | "             |      |
| PATT.  |             | "             |      |


**TITLE:**  
FISCHER MOD. PORT. "S" S. W.  
PATIENT'S TUNING COIL - RIGHT

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT.  
NO.

PART  
NO.

12454



7  $\frac{3}{4}$  TURNS

1 REQUIRED

OBSOLETE


|        |             |               |      |
|--------|-------------|---------------|------|
| SIZE   | #10 TINNED  | ISSUE 1-25-39 | J.W. |
| KIND   | COPPER WIRE | CHANGED       |      |
| SHAPE  |             | "             |      |
| FINISH |             | "             |      |
| TEMP.  |             | "             |      |
| PATT.  |             | "             |      |

**TITLE:**  
FISCHER MOD. PORT. "5" S.W.  
PATIENT'S TUNING COIL - LEFT

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT.  
NO.


PART  
NO. 12455



4 REQUIRED  
**OBSOLETE**

| SIZE  | ISSUE 4-24-39   | J.W.        | TITLE: FISCHER MOD "S" SHORT WAVE OUTFIT<br>CABINET CASTER SUPPORT |
|---|-----------------|-------------|--|
| KIND  | CHANGED         |             |  |
| SHAPE   | "               |             |  |
| FINISH  | BLK. KRIST. #55 | "           |  |
| TEMP.   | "               |             |  |
| PATT.   | 1354            | "           |  |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO.     | PART<br>NO. | 12458F   |

4 HLS. ~ #15 DRILL & C'SINK.  
TO  $\frac{3}{8}$ " FACE FOR #8 F. HD. W. SCR.




1 REQUIRED

OBSOLETE

|   |             |               |             |  |
|---|-------------|---------------|-------------|--|
| SIZE  |             | ISSUE 2-27-45 | RE.         | TITLE:<br>FISCHER MOD. "S" SHORT WAVE (12 METER)<br>ELECT. UNIT RACK - STANDOFF INS. SUPP. STRIP |
| KIND  | HARD WOOD   | CHANGED       |             |  |
| SHAPE   |             | "             |             |  |
| FINISH  |             | "             |             |  |
| TEMP.   |             | "             |             |  |
| PATT.   |             | "             |             |  |
| H. G. FISCHER & CO.<br>2338 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO. |               | PART<br>NO. | 12459 $\frac{1}{2}$  |


12 HLS ~ # 27 DRILL & C'SINK.  
TO  $\frac{5}{16}$ " FACE FOR #6 X 32 F. HD. SCR.



1 REQUIRED

OBSOLETE

|   |             |               |                       |  |
|---|-------------|---------------|-----------------------|--|
| SIZE  |             | ISSUE 2-27-45 | RE.                   | TITLE:<br>FISCHER MOD. "S" SHORT WAVE (12 METER)<br>ELECT. UNIT RACK ~ STAND OFF INS. SUPP. STRIP<br>(DRILLED) |
| KIND  |             | CHANGED       |                       |  |
| SHAPE   |             | ..            |                       |  |
| FINISH  |             | ..            |                       |  |
| TEMP.   |             | ..            |                       |  |
| PATT.   |             | ..            |                       |  |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO. | PART<br>NO.   | 12459 $\frac{1}{2}$ F |  |



1 REQUIRED

OBSOLETE

| SIZE   |           | ISSUE 2-26-45 | RE. |
|--------|-----------|---------------|-----|
| KIND   | HARD WOOD | CHANGED       |     |
| SHAPE  |           | ..            |     |
| FINISH |           | ..            |     |
| TEMP.  |           | ..            |     |
| PATT.  |           | ..            |     |

**TITLE:** FISCHER MOD. "S" SHORT WAVE (6 METER)  
ELECT. UNIT RACK~STAND OFF INS. SUPP. STRIP


H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT.  
NO.

PART  
NO.

12461  $\frac{1}{2}$

8 HLS. ~ # 27 DRILL & C'SINK.  
TO  $\frac{5}{16}$ " FACE FOR #6X32 F.HD. SCR.




1 REQUIRED

OBSOLETE

|   |  |               |     |   |
|---|--|---------------|-----|---|
| SIZE  |  | ISSUE 2-26-45 | RE. | TITLE:<br>FISCHER MOD. "S" SHORT WAVE (6 METER)<br>ELECT. UNIT RACK - STAND OFF INS. SUPP. STRIP<br>(DRILLED) |
| KIND  |  | CHANGED       |     |   |
| SHAPE   |  | "             |     |   |
| FINISH  |  | "             |     |   |
| TEMP.   |  | "             |     |   |
| PATT.   |  | "             |     |   |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |  | CAT. NO.      |     | PART NO. 12461 1/2 F  |

4 HLS. - #8X32 TAD



1 REQUIRED

OBSOLETE


|        |                |         |        |      |
|--------|----------------|---------|--------|------|
| SIZE   | 1 1/4" X 3/32" | ISSUE   | 2-2739 | J.W. |
| KIND   | C.R. STEEL     | CHANGED |        |      |
| SHAPE  | STRIP          | "       |        |      |
| FINISH |                | "       |        |      |
| TEMP.  |                | "       |        |      |
| PATT.  |                | "       |        |      |

**TITLE:** FISCHER MOD. PORT. "S" SHORT WAVE  
CARRYING-CASE-BACK COVER GUIDE STRIP

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT.  
NO.

PART  
NO. 12462



FROM PCE. NO. 12478

1 REQUIRED

CHROME #2 - POLISH ON C'SUNK.  
FACE OF HOLE ONLY.



|        |                       |               |      |
|--------|-----------------------|---------------|------|
| SIZE   |                       | ISSUE 2-14-40 | J.W. |
| KIND   |                       | CHANGED       |      |
| SHAPE  |                       | "             |      |
| FINISH | CHROME #2<br>SEE NOTE | "             |      |
| TEMP.  |                       | "             |      |
| PATT.  |                       | "             |      |


**TITLE:**  
FISCHER WALL MODEL DENTAL X-RAY  
UNIT - TANK SCREW SHIELD - SMALL

H. G. FISCHER & CO.  
2335 WABANSIA AVE.  
CHICAGO, ILL.

CAT.  
NO.

PART  
NO.

12477




2 REQUIRED

|                                 |  |
|---------------------------------|--|
| SEP 19 1975                     |  |
| DATE                            |  |
| REFER TO.....                   |  |
| FOR DETAILS SEE E. C. O. #..... |  |
| ENGINEER.....                   |  |
| DRAFTSMAN.....                  |  |

|        |                         |               |      |
|--------|-------------------------|---------------|------|
| SIZE   | #22GA (.0312")          | ISSUE 2-14-40 | J.W. |
| KIND   | C.R. STEEL              | CHANGED       |      |
| SHAPE  | SHEET                   | "             |      |
| FINISH | CHROME #2,<br>SEE NOTE. | "             |      |
| TEMP.  |                         | "             |      |
| PATT.  |                         | "             |      |

**TITLE:**  
FISCHER WALL MODEL DENTAL X-RAY  
UNIT - TANK SCREW SHIELD - LARGE

2 HLS. - #10X32 TAP




$1\frac{1}{2}"$  O.D. X #11 GA. SHELBY SEAMLESS STEEL TUBING

1 REQUIRED

OBSOLETE


| SIZE  |             | ISSUE 2-15-39 | J.W.        | TITLE:<br>FISCHER LIGHT MOBILE STAND<br>UPRIGHT TUBE - RIGHT |
|---|-------------|---------------|-------------|--|
| KIND  |             | CHANGED       |             |  |
| SHAPE   |             | "             |             |  |
| FINISH  | CHROME #2   | "             |             |  |
| TEMP.   |             | "             |             |  |
| PATT.   |             | "             |             |  |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO. |               | PART<br>NO. | 12486A   |



2 REQUIRED

OBSOLETE


|   |               |               |      |   |
|---|---------------|---------------|------|---|
| SIZE  | 3 1/4" GROUND | ISSUE 3-21-34 | W.E. | TITLE:<br>FISCHER "D-S-GO" UNIT TUBE HEAD & SCREEN<br>TIE ROD |
| KIND  | C.R. STEEL    | CHANGED       |      |   |
| SHAPE   |               | " "           |      |   |
| FINISH  | CHROME POL.   | " "           |      |   |
| TEMP.   |               | " "           |      |   |
| PATT.   |               | " "           |      |   |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO.   | PART<br>NO.   | 8842 |   |



A technical drawing of a mechanical part, likely a cylinder or tube, shown in two views. The left view is a cross-section of a hole, with a dimension line indicating a diameter of  $\frac{1}{2}$ " and the word "REAMED" written above it. The right view is a longitudinal section showing the hole extending through the part. The drawing uses dashed lines to represent hidden features.

# OBSOLETE

|        |               |                |     |   |
|--------|---------------|----------------|-----|---|
| SIZE   |               | ISSUE 12-27-33 | 216 | TITLE:<br>FISCHER "D-S-GO" UNIT<br>SCREEN FORK SWIVEL     |
| KIND   | ALUM. CASTING | CHANGED        |     |   |
| SHAPE  |               | " "            |     |   |
| FINISH | BLK. LACQUER  | " "            |     |   |
| TEMP.  |               | " "            |     |   |
| PATT.  | 5772-699      | " "            |     |   |
|        |               |                |     | H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |
|        |               |                |     | CAT.<br>NO.   |
|        |               |                |     | PART<br>NO. 8844F   |



| SIZE   | ISSUE    |     |
|--------|----------|-----|
| KIND   | CHANGED  |     |
| SHAPE  | " "      |     |
| FINISH | " "      |     |
| TEMP.  | " "      |     |
| PATT.  | 8321-710 | " " |


**TITLE:**  
FISCHER "D-S-GO" UNIT  
TUBE HEAD SWIVEL

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT.  
NO.

PART  
NO. 8857F


5 HLS. #27 DRILL CSK.  
FOR #6 F. HD. WOOD SCREW



2 REQUIRED


OBSOLETE

|   |                 |         |             |             |                                      |
|---|-----------------|---------|-------------|-------------|--------------------------------------|
| SIZE  | 4 1/2" X 2 1/2" | ISSUE   | 12-14-37    | J.W.        | TITLE:                               |
| KIND  | FLAT WIRE       | CHANGED |             |             | FISCHER "14X17" FILM STORAGE CABINET |
| SHAPE   |                 | "       |             |             | - DOOR SIDE STRIP                    |
| FINISH  |                 | "       |             |             |                                      |
| TEMP.   |                 | "       |             |             |                                      |
| PATT.   |                 | "       |             |             |                                      |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |                 |         | CAT.<br>NO. | PART<br>NO. | 1789                                 |



SCALE  $\frac{1}{4}$ " = 1"

| SIZE  |       | ISSUE 3-26-35 | 2/5.     | TITLE:                   |
|---|-------|---------------|----------|--------------------------|
| KIND  | BIRCH | CHANGED       |          | 14" X 17" LEAD-LINED BOX |
| SHAPE   |       | " "           |          | OBSOLETE                 |
| FINISH  |       | " "           |          |                          |
| TEMP.   |       | " "           |          |                          |
| PATT.   |       | " "           |          |                          |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |       | CAT. NO.      | PART NO. | 1790A                    |



CUT  $10\frac{1}{4}$ " LONG

|        |                  |         |              |
|--------|------------------|---------|--------------|
| SIZE   | 3/16"            | ISSUE   | H.E. 4-22-30 |
| KIND   | POL.SHEET RUBBER | CHANGED |              |
| SHAPE  | SHEET            | " "     |              |
| FINISH |                  | " "     |              |
| TEMP.  |                  | " "     |              |
| PATT.  |                  | " "     |              |

100-1000


TITLE: BRADY PILLAR RETRACTOR

OBSOLETE

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.


CAT.  
NO.

PART  
NO. 2789A




OBSOLETE

|   |             |                     |                        |
|---|-------------|---------------------|------------------------|
| SIZE  |             | ISSUE 10-29-30 3/16 | TITLE: PILLAR RETRCTOR |
| KIND  | PYREX GLASS | CHANGED             |                        |
| SHAPE   |             | " "                 |                        |
| FINISH  |             | " "                 |                        |
| TEMP.   |             | " "                 |                        |
| PATT.   |             | " "                 |                        |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |             | CAT.<br>NO.         | PART<br>NO. 2780 1/2   |




ENLARGED SECTIONAL  
VIEW SHOWING HOW THE TOP  
OF THE KNUURL SHOULD BE  
EVEN WITH THE CONTOUR  
OF THE BODY

| SIZE   | ISSUE 2-4-51 | CHG.        | TITLE:                  |
|--|--------------|-------------|-------------------------|
| KIND   | CHANGED      |             | PILLAR RETRACTOR HANDLE |
| SHAPE  | " "          |             | <b>OBSOLETE</b>         |
| FINISH   | " "          |             |                         |
| TEMP.  | " "          |             |                         |
| PATT.  | " "          |             |                         |
| H. G. FISCHER & CO.<br>2335 WABANSIA AVE.<br>CHICAGO, ILL. |              | CAT.<br>NO. | PART<br>NO. 2789 3/4    |



OBSOLETE

| SIZE   | ISSUE 1-8-35 248. | TITLE: PORTABLE SHOCKPROOF X-RAY TRANSFORMER SUPPORT      |
|--------|-------------------|---|
| KIND   | ALUM. CASTING     | CHANGED   |
| SHAPE  |                   | " "   |
| FINISH |                   | " "   |
| TEMP.  |                   | " "   |
| PATT.  | 2567-758          | " "   |
|        |                   | H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |
|        |                   | CAT. NO.  |
|        |                   | PART NO. 9241F  |



|        |  |               |       |
|--------|--|---------------|-------|
| SIZE   |  | ISSUE 8-24-36 | J. W. |
| KIND   |  | CHANGED       |       |
| SHAPE  |  | "             |       |
| FINISH |  | "             |       |
| TEMP.  |  | "             |       |


1166-872

**OBSOLETE**

**TITLE:**  
25 CYCLE "DSP-20" HIGH TENSION  
TRANSFORMER SUPPORT

H. G. FISCHER & CO. CAT.  
2335 WABANSIA AVE. NO.  
CHICAGO, ILL.

PART  
NO. 92472 1/2 F



1 REQUIRED

OBSOLETE



|        |                         |         |          |      |        |  |          |               |
|--------|-------------------------|---------|----------|------|--------|--|----------|---------------|
| SIZE   | 2 3/4" ID X 3 3/8" O.D. | ISSUE   | 12-20-34 | 2/8. | TITLE: | PORTABLE SHOCKPROOF X-RAY TUBE SHIELD TUBE |          |               |
| KIND   | NAT. BAKELITE           | CHANGED |          |      |        |  |          |               |
| SHAPE  | TUBING                  | " "     |          |      |        |  |          |               |
| FINISH |                         | " "     |          |      |        |  |          |               |
| TEMP.  |                         | " "     |          |      |        |  |          |               |
| PATT.  |                         | " "     |          |      |        |  |          |               |
|        |                         |         |          |      |        | H. G. FISCHER & CO.                        | CAT. NO. | PART NO. 9255 |
|        |                         |         |          |      |        | 2335 WABANIA AVE.<br>CHICAGO, ILL.         |          |               |

2 HLS. #19 DRL. 1/2" DEEP

1. REQUIRED

## OBSOLETE

|  |                           |              |             |   |
|--|---------------------------|--------------|-------------|---|
| SIZE   | 2 3/4" I.D. X 3 3/8" O.D. | ISSUE 7-3-35 | 218         | TITLE:<br>FISCHER "DSP-20" TUBE SHIELD TUBE |
| KIND   | LITHARGE IMP.             | CHANGED      |             |   |
| SHAPE  | BAKELITE TUBING           | " "          |             |   |
| FINISH   |                           | " "          |             |   |
| TEMP.  |                           | " "          |             |   |
| PATT.  |                           | " "          |             |   |
| H. G. FISCHER & CO.<br>2335 WABANSIA AVE.<br>CHICAGO, ILL. |                           | CAT.<br>NO.  | PART<br>NO. | 9255A                                       |



NOTES


PLACE LEAD STRIP WITH HOLE OVER  $1\frac{1}{2}$ " HOLE & BEND LEAD OVER  
OPENING. SOLDER & THEN CUT OUT  $1\frac{3}{8}$ " HOLE.  
CUT A  $\frac{1}{16}$ " GROOVE ON EACH SIDE OF LEAD  $\frac{1}{16}$ " DEEP & ROUND EDGES  
OF LEAD. DRILL #10 DRL. HOLES AS SHOWN.  
GLUE CORK STRIPS  $\frac{1}{2}$ " FROM EACH END AS SHOWN.

1 REQUIRED


**OBSOLETE**

| SIZE  |  | ISSUE 12-20-34 2/P. | TITLE: PORTABLE SHOCKPROOF, X-RAY TUBE SHIELD |
|---|--|---------------------|---|
| KIND  |  | CHANGED             |   |
| SHAPE   |  | " "                 |   |
| FINISH  |  | " "                 |   |
| TEMP.   |  | " "                 |   |
| PATT.   |  | " "                 |   |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |  | CAT.<br>NO.         | PART<br>NO. 9255G                             |

9255A



9257B




$2\frac{1}{2} - \frac{1}{16}$ " SHEET FELT  
GLUED TO BAKELITE STRIPS

BAKELITE NOTE  
GLUE ~~STRIPS~~ STRIPS  $\frac{1}{2}$ " FROM EACH END AS SHOWN.

1 REQUIRED

OBSOLETE

|   |             |              |               |                                     |
|---|-------------|--------------|---------------|-------------------------------------|
| SIZE  |             | ISSUE 7-3-35 | 248           | TITLE: FISCHER "DSP-20" TUBE SHIELD |
| KIND  |             | CHANGED      | 12-29-36 J.W. |                                     |
| SHAPE   |             | " "          |               |                                     |
| FINISH  |             | " "          |               |                                     |
| TEMP.   |             | " "          |               |                                     |
| PATT.   |             | " "          |               |                                     |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO. | PART<br>NO.  | 9255GB        |                                     |



1 REQUIRED

OBSOLETE

|        |                  |                |     |                                     |                                       |
|--------|------------------|----------------|-----|-------------------------------------|---------------------------------------|
| SIZE   | $\frac{1}{16}$ " | ISSUE 12-20-34 | 248 | TITLE:                              | PORTABLE SHOCKPROOF X-RAY TUBE SHIELD |
| KIND   | SHEET LEAD       | CHANGED        |     |                                     | LEAD PROTECTOR                        |
| SHAPE  |                  | " "            |     |                                     |                                       |
| FINISH |                  | " "            |     |                                     |                                       |
| TEMP.  |                  | " "            |     |                                     |                                       |
| PATT.  |                  | " "            |     | H. G. FISCHER & CO.                 | CAT. NO.                              |
|        |                  |                |     | 2335 WABANSIA AVE.<br>CHICAGO, ILL. | PART NO. 9256                         |

## STEEL SIZES

P.C. NO. 5043

2 □ CORES LAMS. CUT 6" X 1 1/4" BUILT  
UP TO 2". END PIECES CUT 2" X 1 1/4".  
BIND CORES WITH  $\frac{3}{4}$ " FRICTION TAPE.

## WINDING DATA

WIND 3 LAYERS OF HEAVY WRAPPING PAPER ON ONE CORE, THEN PUT ON 3 LAYERS OF 502G  $\frac{3}{4}$  OILED CLOTH. USE #16 COTENAMEL WIRE. ANCHOR LEAD #1 WITH FRICTION TAPE (LEADS #1-#11 INCL. ARE EACH 18" OF 1671 ASBESTOS COVERED WIRE) AND WIND 116 TURNS, PLACING 1 LAYER OF 502G  $\frac{3}{4}$  OILED CLOTH BETWEEN EACH LAYER OF WIRE. USE #14 COTENAMEL WIRE. SPLICE START OF #14 C.E. WIRE TO END OF #16 C.E. WIRE AND BRING OUT TAP #2. WIND 15 TURNS & BRING OUT TAP #3. WIND 15 TURNS & BRING OUT TAP #4.

|   |    |   |   |   |   |   |       |
|---|----|---|---|---|---|---|-------|
| W | 15 | W | W | W | W | W | # 5.  |
| W | 15 | W | W | W | W | W | # 6.  |
| W | 15 | W | W | W | W | W | # 7.  |
| W | 15 | W | W | W | W | W | # 8.  |
| W | 15 | W | W | W | W | W | # 9.  |
| W | 10 | W | W | W | W | W | # 10. |

"... 10 ..." " ANCHOR END WITH  
FRICTION TAPE - LEAD #11. 1 LAYER OF  
502G  $\frac{3}{4}$  BETWEEN EACH LAYER OF WIRE.  
USE #22 COTENAMEL WIRE. ANCHOR  
LEAD #12 WITH FRICTION TAPE ALONG  
SIDE OF LEAD #11 (LEADS #12 & 13 ARE  
18" EACH OF 1648 WEATHERPROOF WIRE)  
AND WIND 36 TURNS AND ANCHOR END  
WITH FRICTION TAPE - LEAD #13. COVER  
WITH 5004  $\frac{1}{2}$  OILED TAPE & SHELLAC.

# OBSOLETE

|        |  |                |     |
|--------|--|----------------|-----|
| SIZE   |  | ISSUE 12-16-35 | 248 |
| KIND   |  | CHANGED        |     |
| SHAPE  |  | " "            |     |
| FINISH |  | " "            |     |
| TEMP.  |  | " "            |     |
| PATT.  |  | " "            |     |

**TITLE:**



## FISCHER "DSP-20" AUTO TRANSFORMER

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT.  
NO.


## PART 16

9270G



# OBSOLETE


|        |               |               |          |   |
|--------|---------------|---------------|----------|---|
| SIZE   |               | ISSUE 12-1-34 | 24.6     | <b>TITLE:</b><br>PORTABLE SHOCKPROOF X-RAY AUTO TRANSFORMER<br>SUPPORT - LEFT |
| KIND   | ALUM. CASTING | CHANGED       |          |   |
| SHAPE  |               | " "           |          |   |
| FINISH |               | " "           |          |   |
| TEMP.  |               | " "           |          |   |
| PATT.  | 4450-780      | " "           |          | H. G. FISCHER & CO.<br>2335 WABANSIA AVE.<br>CHICAGO, ILL.                    |
|        |               |               | CAT. NO. | PART NO. 9272F  |





1 REQUIRED

OBSOLETE

|  |               |                |                        |
|--|---------------|----------------|------------------------|
| SIZE   |               | ISSUE 12-29-34 | 146                    |
| KIND   | ALUM. CASTING | CHANGED        |                        |
| SHAPE  |               | " "            |                        |
| FINISH   | BLACK #60     | " "            |                        |
| TEMP.  |               | " "            |                        |
| PATT.  | 5851-793      | " "            |                        |
| H. G. FISCHER & CO.<br>2335 WABANSIA AVE.<br>CHICAGO, ILL. |               | CAT.<br>NO.    | PART<br>NO. 9283 1/2 F |




1 REQUIRED



**OBSOLETE**

|        |               |                |     |                     |  |
|--------|---------------|----------------|-----|---------------------|--|
| SIZE   |               | ISSUE 12-15-34 | 248 | TITLE:              | PORTABLE SHOCKPROOF X-RAY UPRIGHT TUBE |
| KIND   | ALUM. CASTING | CHANGED        |     |                     | SLIDE LOCK HANDLE                      |
| SHAPE  |               | " "            |     |                     |  |
| FINISH | BLACK #60     | " "            |     |                     |  |
| TEMP.  |               | " "            |     |                     |  |
| PATT.  | 4342-777      | " "            |     | H. G. FISCHER & CO. |  |
|        |               |                |     | 2335 WABANIA AVE.   | CAT.                                   |
|        |               |                |     | CHICAGO, ILL.       | NO.                                    |
|        |               |                |     |                     | PART NO. 9287F                         |





OBSOLETE

| SIZE   |               | ISSUE 1-19-35 | 286 |
|--------|---------------|---------------|-----|
| KIND   | ALUM. CASTING | CHANGED       |     |
| SHAPE  |               | " "           |     |
| FINISH | BLACK #60     | " "           |     |
| TEMP.  |               | " "           |     |
| DATE   | 5/10/72       |               |     |

TITLE: PORTABLE SHOCKPROOF X-RAY TUBE HOUSING  
DOUBLE SWIVEL

H. G. FISCHER & CO.  
2335 WABANIA AVE.

CAT. NO. 9300F




OBSOLETE

|        |               |         |        |
|--------|---------------|---------|--------|
| SIZE   |               | ISSUE   | 7-8-36 |
| KIND   | ALUM. CASTING | CHANGED |        |
| SHAPE  |               | "       |        |
| FINISH | BLACK #60     | "       |        |
| TEMP.  |               | "       |        |
| DATE   | 6/10/54       |         |        |

TITLE: FISCHER "DSP-20" TUBE HEAD H.T. CABLE  
INSULATOR CAP

2 HLS. #13 DRL. SLIGHTLY CSK.  
FROM OTHER SIDE FOR RIVETING.

2 HLS. #16 DRL. CSK.  
FOR #8 F. HD. WOOD SCR.




2 REQUIRED

OBSOLETE


|        |                             |               |     |
|--------|-----------------------------|---------------|-----|
| SIZE   | $\frac{3}{16}'' \times 1''$ | ISSUE 1-14-35 | 2/5 |
| KIND   | C.R. STEEL                  | CHANGED       |     |
| SHAPE  |                             | " "           |     |
| FINISH |                             | " "           |     |
| TEMP.  |                             | " "           |     |
| PATT.  |                             | " "           |     |

**TITLE:** PORTABLE SHOCKPROOF X-RAY CABINET CLAMP STRIP  
H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.  
CAT.  
NO.  
PART  
NO. 9340



OBSOLETE

|   |  |                     |                |                                  |
|---|--|---------------------|----------------|----------------------------------|
| SIZE  |  | ISSUE 11-28-39 J.W. | CHANGED        | TITLE:                           |
| KIND  |  |                     |                |                                  |
| SHAPE   |  | "                   |                | SPECIAL "DSP-20" LEAD LINED CONE |
| FINISH  |  | "                   |                | FOR GETTING A 6" DISTANCE FROM   |
| TEMP.   |  | "                   |                | TUBE TARGET TO END OF CONE       |
| PATT.   |  | "                   |                |                                  |
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |  | CAT. NO. 4741       | PART NO. 9349G |                                  |



OBSOLETE


|        |           |               |      |
|--------|-----------|---------------|------|
| SIZE   |           | ISSUE 3-26-35 | 3424 |
| KIND   |           | CHANGED       |      |
| SHAPE  |           | " "           |      |
| FINISH | BLACK #85 | " "           |      |
| TEMP.  |           | " "           |      |
| PATT.  |           | " "           |      |

**TITLE:** FISCHER "DSP-20" LEAD LINED CONE ASSEMBLY

H. G. FISCHER & CO.  
2335 WABANIA AVE.  
CHICAGO, ILL.

CAT. NO. 3638

PART NO. 9350G




OBSOLETE

| SIZE   | ISSUE 1-17-35 | CHG. | TITLE: FISCHER "DSP-20" LEAD LINED CONE |
|--------|---------------|------|---|
| KIND   | CHANGED       |      |   |
| SHAPE  | " "           |      |   |
| FINISH | " "           |      |   |
| TEMP.  | " "           |      |   |
| PATT.  | " "           |      |   |

H. G. FISCHER & CO.  
2335 WABANSIA AVE.  
CHICAGO, ILL.


CAT. NO. 0350 1/2 G



4 REQUIRED  
SCALE  $\sim \frac{3}{8}'' = 1''$

OBSOLETE

|        |               |                   |   |
|--------|---------------|-------------------|---|
| SIZE   | # 5029        | ISSUE 5-19-36 2/8 | TITLE:  |
| KIND   | BALLOON CLOTH | CHANGED           | FISCHER "DSP-20" HIGH TENSION CABLE                       |
| SHAPE  |               | " "               | STRESS CONE STRIP-NARROW                                  |
| FINISH |               | " "               |   |
| TEMP.  |               | " "               |   |
| PATT.  |               | " "               |   |
|        |               |                   | H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. |
|        |               |                   | CAT. NO. 9358   |
|        |               |                   | PART NO. 9358   |



CUT 1 PIECE OF #5026  $\frac{3}{4}$  OILED CLOTH & 1 PIECE OF #5029 BALLOON CLOTH TO SIZES SHOWN.  
 SEW TOGETHER ON SIDES ONLY. DO NOT SEW ENDS.


4 REQUIRED

SCALE  $\div \frac{3}{4} = 1"$

OBsolete

|        |  |               |     |
|--------|--|---------------|-----|
| SIZE   |  | ISSUE 7-26-35 | 218 |
| KIND   |  | CHANGED       |     |
| SHAPE  |  | " "           |     |
| FINISH |  | " "           |     |
| TEMP.  |  | " "           |     |
| PATT.  |  | " "           |     |

|   |             |             |
|---|-------------|-------------|
| H. G. FISCHER & CO.<br>2335 WABANIA AVE.<br>CHICAGO, ILL. | CAT.<br>NO. | PART<br>NO. |
|   |             | 9358G       |




CUT 1 PIECE OF #5026  $\frac{3}{4}$ " OILED CLOTH & 1 PIECE OF #5029 BALLOON CLOTH TO SIZES SHOWN.  
SEW TOGETHER ON SIDES ONLY. DO NOT SEW ENDS.

4 REQUIRED

SCALE  $\approx \frac{1}{2} = 1"$

OBSOLETE

|        |  |               |          |   |
|--------|--|---------------|----------|---|
| SIZE   |  | ISSUE 3-11-36 | W.P.     | TITLE:                                    |
| KIND   |  | CHANGED       |          | FISCHER "DSP-20" HIGH TENSION CABLE       |
| SHAPE  |  | " "           |          | STRESS CONE STRIP ASSEM.                  |
| FINISH |  | " "           |          |   |
| TEMP.  |  | " "           |          |   |
| PATT.  |  | " "           |          |   |
|        |  |               |          | H. G. FISCHER & CO.<br>2335 WABANSIA AVE. |
|        |  |               | CAT. NO. | PART NO. 9358CA                           |



2 REQUIRED

SCALE -  $\frac{3}{8}$  = 1"

OBSOLETE


|        |               |                    |
|--------|---------------|--------------------|
| ITEM   | #5029         | ISSUE 8-19-36 J.W. |
| KIND   | BALLOON CLOTH | CHANGED            |
| SHAPE  |               | "                  |
| FINISH |               | "                  |
| TEMP.  |               | "                  |
| PATT.  |               | "                  |

**TITLE:**  
FISCHER "DSP-20" HIGH TENSION CABLE  
STRESS CONE STRIP - WIDE

H. G. FISCHER & CO.  
2335 WABANIA AVE.

CAT.  
NO.

PART  
NO. 02501



4 REQUIRED

SCALE  $\frac{1}{2}$  = 1"

OBSOLETE

|        |                     |                |      |
|--------|---------------------|----------------|------|
| SIZE   | #5026 $\frac{3}{4}$ | ISSUE 12-10-36 | 2/8. |
| KIND   | OILED CLOTH         | CHANGED        |      |
| SHAPE  |                     | "              |      |
| FINISH |                     | "              |      |
| TEMP.  |                     | "              |      |

TITLE: FISCHER "DSP-20" HIGH TENSION CABLE  
STRESS CONE STRIP - WIDE